



# SOLAR-POWERED TILE LIGHTING SERIES



## SL6R

**CE IP68**

Voltage: .....4.8 V  
 Power: .....0.12 W  
 Weight: .....0.75 Kg  
 Dimensions: .....Φ114x68 mm  
 LED color: .....RD / BL / YW / GN / WH / WW  
 Working Mode: .....Steady



## SL8

**CE IP68**

Voltage: .....4.8 V  
 Power: .....0.12 W  
 Weight: .....0.68 Kg  
 Dimensions: .....99x99x60 mm  
 LED color: .....RD / BL / YW / GN / WH / WW  
 Working Mode: .....Steady



Solar-powered Tile  
 Lighting Series





### SL9

**CE IP68**

Voltage: .....4.8 V  
 Power: .....0.24 W  
 Weight: .....1.28 Kg  
 Dimensions: .....198x99x60 mm  
 LED color: .....RD / BL / YW / GN / WH / WW  
 Working Mode: .....Steady




Solar-powered Tile  
 Lighting Series



### SL10

**CE IP68**

Voltage: .....4.8 V  
 Power: .....0.48 W  
 Weight: .....2.25 Kg  
 Dimensions: .....198x198x60 mm  
 LED color: .....RD / BL / YW / GN / WH / WW  
 Working Mode: .....Steady





### SL10 Handicapped / No Smoking

Voltage: .....4.8 V  
 Power: .....0.48 W  
 Weight: .....2.25 Kg  
 Dimensions: .....198x198x60 mm  
 LED color: .....WH  
 Working Mode: .....Steady



CE IP68



Solar-powered Tile  
 Lighting Series

